

Erie Manufacturing Inc.
1520 Centennial Dr
Bartow, FL 33830
(863) 534-3743



209

3-way Brace Clamps with Hardware

Part #	Sizes
200	3/4 x 3/4
201	1 x 3/4
203	1-1/4 x 3/4
202	1 x 1
204	1-1/4 x 1
209	1-1/4 x 1-1/4



127



127SW

4-way Cross Clamps with Hardware

Part #	Sizes
127	3/4 x 3/4
131	1 x 3/4
128	1 x 1
132	1-1/4 x 3/4
130	1-1/4 x 1
129	1-1/4 x 1-1/4

Swivel Cross Clamp
all sizes



300

Rail Support W/out Hardware

Part #
300

Rail Support W/Hardware

Part #
300W/H



300-3



300T


Rail Support Sets

Sets Include Nipple (specify length, 5" Std.), Hardware, and Brace Clamp (specify size clamps)

Part #	Sizes
300-1	1 x 3/4
300-3	1-1/4 x 3/4
300T	1-1/4 X 3/4 TRUCK RAIL SUPP

Close Rail Support

Part #
407-3



407-3


Single Arm Bracket for 1" or 1-1/4" Stanchion

With Hardware

Part #	Descrip.
S109	1 X 9
S112	1 x 12"
S113	1 x 13-1/2"
S115	1 x 15"
S209	1-1/4 X 9
S212	1-1/4 x 12"
S213	1-1/4 x 13-1/2"
S215	1-1/4 x 15"
S218	1-1/4 x 18"



S112



D224

Double Arm Bracket for 1" or 1-1/4" Stanchion

With Hardware 3/8-16 UBOLT & WIZ NUTS

Part #	Description
D118	1 x 18"
D124	1 x 24"
D127	1 x 27"
D130	1 x 30"
D136	1 X 36"
D218	1-1/4 x 18"
D224	1-1/4 x 24"
D227	1-1/4 x 27"
D230	1-1/4 x 30"
D236	1-1/4 x 36"

Other sizes available and will be quoted upon request

Double Arm Bracket for 3" Rack Post


Part #	Description
D324	24"
D327	27"
D330	30"
D336	36"

Other sizes available and will be quoted upon request

Wall Brackets

Part #	Size
W112	12"
W113	13-1/2"
W115	15"

Other Sizes Made to Order
Please Call for Pricing.




407

Master Switch Two Way Manual

Part #	Description
407RO	1-5/16" Rail Right Outside
407LO	1-5/16" Rail Left Outside
407RI	1-5/16" Rail Right Inside
407LI	1-5/16" Rail Left Inside

Master Switch Free Rail Two Way Pneumatic

407PN	1-5/16 FREE RAIL PNE
-------	----------------------



924

Master Switch Two Way Power Conveyor Pneumatic

924	1-5/16 soft Dog Mode
925	1-5/16 hard Dog Mode

Master Switch Power Conveyor Electro Pneumatic

920	1-5/16 soft dog Mode
918	1-5/16 hard dog Mode



403M




403A

Drop-off Switch Assy W/Curve includes
 Drop-off Switch
 Curve
 Rail Support
 Insert
 Assembled as a unit

Drop Off Switches

Part #	Description	Price
402RA	1-1/16 Rail Right Automatic	
402RM	1-1/16 Rail Right Manual	
402LA	1-1/16 Rail Left Automatic	
402LM	1-1/16 Rail Left Manual	
402SA	1-1/16 Rail Straight Auto	
402SM	1-1/16 Rail Straight Man	
403RA	1-5/16 Rail Right Automatic	
403RM	1-5/16 Rail Right Manual	
403LA	1-5/16 Rail Left Automatic	
403LM	1-5/16 Rail Left Manual	
403SA	1-5/16 Rail Straight Auto	
403SM	1-5/16 Rail Straight Man	
402ASSY	Drop-off Switch Assy W/Curve	
403ASSY	Drop-off Switch Assy W/Curve Specify Right,Left, Manual, Auto	
403-1M	1-5/16 Manual Dropoff knuckle	
403-1A	1-5/16 Automatic Dropoff knuckle	
402-1M	1-1/16 Manual Dropoff knuckle	
402-1A	1-1/16 Automatic Dropoff knuckle	
403-3	1-5/16 Dropoff Blade (Right or Left)	
402-3	1-1/16 Dropoff Blades (Right or Left)	




STD Rail Bends

1-5/16" O. D., including insert.

Part #	Degree	Radius
600/2314	23	14"
600/4514	45	14"
600/6814	68	14"
600/9014	90	14"
60018014	180	14"
610/4524	45	24"
610/9024	90	24"
61018024	180	24"
650/4514	Hockey Stick x 8' (pre-bend) including insert	
460RH	Hump Curve Right Hand	
460LH	Hump Curve Left Hand	
461	Hump Curve Straight SW	



820



830

Special Switches


Part #	Description
820RH	Ball Bearing Parallel Stacker Right Hand (Trolley Accum. Switch)
820LH	Ball Bearing Parallel Stacker Left Hand(Trolley Accum. Switch)
822	Reversible Ball Bearing Parallel Stacker
830R	Vertical Automatic Fire Door Switch Right Hand
830L	Vertical Automatic Fire Door Switch Left Hand
826	1-5/16 Removable Bar Switch
825	1-1/16 Removable Bar Switch

Tubing and Inserts


For Custom Length, Please add \$1.00 per Cut

Part #	Description	Sticks
171GT	14 Ga. X 1-1/16" O.D. X 24', Zinc Plate Tubing	
171GT	Price Per Foot	
172KT	14 Ga. X 1-5/16" O.D. X 24', Zinc Plate Tubing	
172KT	Price Per Foot	
174LT	14 Ga. X 1.66" O.D. X 24', (1-1/4" Stanchion),Zinc	
174LT	Price Per Foot	
154	Insert for 1-1/16" O.D. Tubing	6"
155	Insert for 1-5/16" O.D. Tubing	10"
160	Insert for 1.66 O.D. Tubing	10"

12 GA TUBING ALSO AVAILABLE ABOVE SIZES, PRICES UPON REQUEST



6"



TR1X9



TR125HD9

Trusses


PART#	Height	1-5/16" O.D. Rail PER Ft	IN STD LENGTHS OF 8', 12', 24'
TR1X6	6"		ALL OTHER LENGTHS PRICED UPON REQUEST
TR1X9	9"		
TR1X12	12"		
		1.66" O.D. Rail PER Ft	IN STD LENGTHS OF 8', 12', 24'
TR125X6	6"		ALL OTHER LENGTHS PRICED UPON REQUEST
TR125X9	9"		
TR125X12	12"		

HEAVY DUTY TRUSS

TR125HD6	6"	ALL LENGTHS PRICED UPON REQUEST
TR125HD9	9"	1-1/2 X 3 X 14GA RECT TOP TUBE WITH
TR125HD12	12"	1.66 DIA BOTTOM TUBE

EXTENDIBLE LOADING BOOMS

ALL LENGTHS AVAILABLE TO 60 FOOT



Trolleys T-200 Basic w/ 1/2" Pendant

Standard sizes are 30" and 36" (w/1-1/16" or 1-5/16 Tube bar)
 other lengths quoted upon request

Size

- T200 STD TROLLEY
- T200 wrap a round
- 42" trolleys add

for Anti-Slide Pins Add
 2" & 2-5/16" Long Std

PART#

- T200H Head w/2 Bearings Ass'y
- T200AS Head & Pendant Assy
- 90246 Roll Pin for Head and Collar
- T200CLR Lower Collar 1/2" ID
- 90347 Fiber Washer
- T200P 1/2" Round Pendant for 1" or 1-5/16"



T200AS

T-200 TROLLEY HEAD

Heavy Duty Trolleys, T-300 w/ 1/2" Pendant

Standard 1.312 Dia. load bars are 30" and 36" other lengths quoted upon request

Size

Wrap a Round


Trolley T-300 Heavy Duty w/ Reader

Reader Pendant, 50 Station and Round Pendant

750M1 Trolley Ass'y
Std Lengths 30" and 36"
42" trolleys add

Heavy Duty Trolley Reader Parts

750-11 Programmer W/Pendant Assy
750M1P Programmer, and Head Assy
T300H Head & Wheel Ass'y
T300AS Head & Pendant ass,y
90246 Roll Pin for Head or Collar
T200CLR Lower Collar 1/2" ID
750-5 Reader Pin
90349 Spring
90005 Ball
750-11P Reader Plain Pendant
750-11PAS Plain Pendant W/head Ass'y
750-11W Reader Pendant Weldment
90347 Fiber Washer



751



750-11

Readout Station Pneumatic

751 Reader station
751-8 Control Box

Empty Trolley Transporter

Part #
890



STD DIM.
54-1/2"H
45"L
22-1/2"W

#889 Heavy Duty Trolley Transport

889 STD WHEELS
889LOCK LOCKING WHEELS



STD DIM.
54"H
48"L
24-1/2"W

Trapezes


Add to trolley to make multiple levels

Part # Description
570A 1-1/16" bar x 36"
570B One Hook or Two
571A 1-1/16" bar x 42"
571B One Hook or Two

Overhead Enclosed Jervis Webb Power Track

Vend #	Part #	Description
V20200	50025	Enclosed Straight Track 10'
V16997	50026	Enclosed Straight Track 20'
	JWTC	Erie Track Clamp
V27826	50016	Heavy Duty Chain Assembly 20' nom. Length
V20079	50032	90 Degree, 24" Radius, Horizontal Turn
V20119	50022	30 degree, 36" Radius, Upper Vertical Curve
V20502	50037	Inspection Gate
V20149	50035	Spring Type Take Up
P750N05	50086	Caterpillar 750# constant speed drive unit

Prices for all Other Power Track and Components are available upon request.



TRACK CLAMP

Power Conveyor Rail Components

Part #	Description
501	RW Hard Dog - Pusher Dog
501S	RW Soft Dog W/ 3/8 flex Urethane
502	JW Hard Dog - Pusher Dog
502S3	Jw Soft Dog w/ 3/8" Flex. Urethane
502SN	Jw Soft Dog w/ Out Flex. Urethane
3/8URETH	Urethane only 3/8"
5/16URETH	Urethane only 5/16"
503	Power Rail Supp Mounting Brkt (Guard Clip)
504	Power Rail Support ("L" support) W/ Hardware
505	Power Guard Rail Support W/Hardware
546	Universal Power Rail Support ("J" hook) W/HW

1001 Booster Basic, 8' elev.

90105 Booser control box (includes, reversing control box, e-stop buttons,start stop limits)

Booster Retractable Hard Dog



Knuckles & Rail Connectors



Part #	Description
161	Female Rail Connector
162	Male Rail Connector
163	Swivel Female Rail Connector (Truck Conn.)
164	Universal Knuckle non Locking
165	Lift-out Knuckle
166	Plain Knuckle Assem
175	Universal Male Hook
335	Tapered Adapter (1-1/16 to 1-5/16)



166




335 TAPERED ADAPTER



910

Conveyor Enhancements

Part #	Description
901-RorL	RH/LH Full Line Sensing Device, Power Rail
902-RorL	RH/LH Full Line Sensing Device, Free Rail
903	Full Line Control Box
903NR	Full Line Control Box Without Relay and Wiring
906	Telescopic Truck Connector
906LOCK	Telescopic Truck Connector LOCKING
907	6' Sectional Loading Boom
910	Pneumatic Inline Stop



903



115/.75



806



808



804

Rail Accessories

Part #	Description
90201	#20 Rubber End Cap for 1-1/16 O. D. Tubing
90202	#22 Rubber End Cap for 1-5/15 O. D. Tubing
115/.75	Rail End Stop for 1-1/16
115/1.0	Rail End Stop for 1-5/16
805	Guard Rail Clip
806	Swing Stop Flow Control
808	Trolley Lock & Release (with rubber bumper)
809	Trolley Lock & Release (pneumatic)

804 Manual Swivel Stop less rail support



101



104




105




118

Suspension Hardware

Part #	Description
101	Female Suspension Fitting, 1-5/16" tube x 3/8" Thread
103	Female Suspension Fitting, 1-5/16" tube x 1/2" Thread
104	Female Susp Fitting, 1-5/16" tube x 3/8 lag bolt
105	Susp Fitting Spec for 1.66 Tubing
102	1-1/16 Tubing W/ 3/8 Thread
118	Heavy Duty Pipe Strap 1-1/4"
119	Heavy Duty Pipe Strap 1"
120	Extra Heavy Duty Pipe Strap 3/4"



#926 Formed Angle Brkt
Length From 10 to 18 inches



110-1



2068

Suspension Hardware

continued

Part #	Description
110-1	Header Clamp (Mercury clip)1" pipe W/HW
110-2	Header Clamp (Mercury clip)1 1/4" pipe W/HW
125	2 Hole Flange W/Nipple, 5" long W/ 1-5/16+ NIPPLE
126	2 Hole Flange W/Nipple, 5" long W/ 1-1/16 NIPPLE
112	Flange W/ 1-1/16 Nipple, One Hole, Fish Plate
111	Flange 1" W/ 1-5/16 Nipple One Hole
205	"U" Bolt, Strap & Wiz Nut, 3/4" x 3/4" or 1" x 3/4"
2068	"U" Bolt, Univ Assy(2-1/2 X 4-1/8,W/Strap & Wiz Nut)
100	3" Fish Plate
106	Wood Spool for 1-5/16" Stanchion
107	Wood Spool for 1-1/4" Stanchion
113	Steel Rod, 3/8" x 3"
114	Floor Set (Fish Plate, Wood Spool & Steel Rod) Specify 1-1/16 or 1/5/16 ID stanchion
90261	Self Drill & Tap Screws, 10-32 x 3/4"
90262	Self drill and Tap Screws, 10-32 x 1"
90168	Tap Bolts 3/8" x 4"



Pneumatic Sweeper

Complete with Valve

919




Part # Mode Changer

Complete W/ Valves and Controls & Pneumatic Stop

917

Specify Trolley Size and Direction

- Limit Valve Soft Dog
- Limit Valve Hard Dog
- Limit Valve for Track





Includes 2 directional locking
and 2 swivel non-locking wheels
As shown, used with 30" Trolley

Powder Coated Safety Yellow

Part #
891R TA CART RIGHT HAND
891L TA CART LEFT HAND
Specify Trolley Lengths

50008 Upgraded Wheels Locking
50005 Bumpers (Donuts)

Z"-Racks



Z"-Racks

STD DIM.

895 Cart Z BASIC 4" Swivel
895-1 Cart Z Std Includes 4ea-#2
895-2 Cart Z Deluxe
Includes #1, 2ea-#2, & 2ea-#4


73"H
63"L
23"W

Options

895-2-5 #1 Middle Bar Ass'y
50006 #2 5" Upgraded Wheels Non Locking(set)
895-2-8 #3 Hanger Hold Down Bar w/hw
#4 5" Upgraded Wheels Locking(EA)
#5 Bumpers (donuts) Set
#6 Removable Top Bar Each
#7 Swivel-lock Shelving Each

Tuxedo Accessory Hooks

2600/2 Single Hook
2600 Double Hook



Vertical Trolley Lifts

Part # **Description**
3000 Basic model, 20', fully adjustable 4 foot min to 18 foot. Other heights available
Includes: Two station control with E-stops, load bar with same direction on
 as direction off.

Options:
Two piece construction
Gravity roll on and roll off opposite direction
Automatic Trolley Sweeper up to 36"

Elevations above 18 feet trolley height
Note: Prices Do Not include crating or freight.

Fruit Bags

Part # **Description**
2100 ELTORO HD
2100 Jumbo size Fruit Bag
2075 3/4 size Fruit Bag
2050 1/2 size Fruit Bag



1/2 size bag also suitable for
apples and peaches

Custom Truck or Load Tarps

Complete line of custom Tarps, Mesh covers and canvas products
Free Price Quotes. Stenciling also available.



Custom Garment Laundry Bags (Sling Bags)
Large, 120" circumference x 54" H




Small, 70" circumference x 42" H



Garment on Trolley Bag Cover



Two Tier Garment Trolley Basket



C952 Dump Laundry Cart


Large 28W x 17-1/2D x 39H
Small 28W x 14-3/4D x 29H



Pallet Racks



C950 Laundry Bag Cart



C951 DBL laundry Cart